




DIRECTIONAL LEDs

Beacons | Lightbars | Minibars | Worklamps | Back-Up Alarms | Camera Systems

ED3766 SERIES

SAE Class I Dual Color Surface Mount

The ED3766 Dual Color directional LED warning light offers the flexibility of two different color outputs within a single unit, comprised of 12 high intensity LEDs, six of each color. SAE Class I light output, synchronization capability and the choice of 11 flash patterns allows the creation of an attention-getting multi-color warning system with half the number of lights typically required. Each model can be programmed to flash either color option individually or alternate colors.



Models

PART NO.	COLORS	VDC	AMPS	MOUNT
ED3766AB	Amber, Blue	12-24	0.9	Surface
ED3766AC	Amber, Clear	12-24	0.9	Surface
ED3766AG	Amber, Green	12-24	0.9	Surface
ED3766AR	Amber, Red	12-24	0.9	Surface
ED3766RB	Red, Blue	12-24	0.9	Surface

Flash Patterns (11)

- Single
- Fast Single
- Double
- Fast Double
- Triple
- Quad
- Fast Quad
- Module Alternating
- Double, Quad
- Single, Triple
- Double, Triple, Quad

Features and Benefits

- 12 high-intensity LEDs provide exceptional warning
- Six LEDs per color
- 11 flash patterns
- Synchronizable
- Aluminum housing, polycarbonate lens
- Encapsulated electronics
- SAE J595 Class I
- California Title 13, R65, R10
- Temperature Range: -22°F to +122°F (-30°C to +50°C)
- Warranty: 3-year



Programmable to flash either color option individually or alternate colors